1800 330 118

### **SKIN MARKERS**



#### BEEKLEY X-SPOT® 101

**BEEKLEY X- SPOT 101 BLUE** 

Ref: 101 Blue, (QTY: 150/box)

X-SPOT 101: Identify and differentiate specific points of reference in conventional simulation treatment planning, chest, and trauma imaging.

- 1.5mm lead-free pellet
- easy Pick-Up tab

CODE C-BEEK101



#### BEEKLEY Y-SPOT® 102

BEEKLEY Y-SPOT® 102 Green

Ref: 102 Green (QTY: 132/box)

Identify and differentiate specific points of reference in conventional simulation treatm ent planning, chest, and trauma imaging.

- 2.0mm lead-free pellet
- easy Pick-UP

CODE C-BEEK102



BEEKLEY D-SPOT® ARROW 104

BEEKLEY D-SPOT® ARROW 104

Ref: 104 (QTY: 99/box)

- lead-free arrow with easy Pick-UP tab
- for marking nodes and outer canthus

CODE C-BEEK104



BEEKLEY T-SPOT® LINE 111

BEEKLEY T-SPOT® LINE 111

Ref: 111, (QTY: 275cm cut to measure roll/box)

- .8mm diameter metallic line.
- for marking scars, nodes, field borders, and match lines





## BEEKLEY L-SPOT® 112

"L" Spot

Radiopaque "L" marker

65 per box

CODE C-BEEK112



## BEEKLEY R-SPOT® 113

"R" Spot

Metallic "R" Orientation marker

64 per box

CODE C-BEEK113



#### **BEEKLEY** GUIDELINES® CT **BIOPSY GRID** 117

GuideLin es® CT Biopsy Grid I17

• 4", x 5"

box)

- biopsy grid 7 non-metalli radiop
- radiop aque lines open pane design for easy mark placem ent ideal for CT-guided biopsie s of the neck and and other small

CODE C-BEEK117



## BEEKLEY CT-SPOT® 119

BEEKLEY CT-SPOT® 119

Ref: 119, (QTY: 85/box)

Ideal for marking 3-point set-ups and isocenters, these unique markers image brightly during simulation without streaking or artifact.

- 2.3mm non-metallic
- pelletfor 3-points set-ups and isocenter





#### BEEKLEY CT-SPOT® 120

Ideal for marking 3-point set-ups and isocenters, these unique markers image brightly during simulation without streaking or artifact.

#### BEEKLEY CT-SPOT® 120, Ref: 120 (QTY: 85/box)

- 4.0mm nonmetallic pellet
- pellet
   for 3point setups and
  isocenter

CODE C-BEEK120



#### BEEKLEY PINPOINT®128

PinPoint® for Image Registration 128

### Ref: 128, (QTY: 30 / box)

- ideal for image registrati on performe d under CT and MRI
- conical design with a 1.27mm diameter center hole

CODE C-BEEK128



MR-SPOT PACKETS™ 185

MR-SPOT Packets™ 185

Ref: 185, (QTY: 40/box)

- 1.75cm Radiance
   ® filled packet
- ideal for extremities, soft tissue masses, and breast MRI
- designed for optimum patient comfort

CODE C-BEEK185



BEEKLEY LOCALIZERS™ 210

Localizer Localizati On Markers

Ref: 210, (OTY: 40/box)

- 2.3mm lowdensity pelletideal
- for ideal for identifying soft tissue masse s on the neck

CODE C-BEEK210



BEEKLEY LOCALIZERS™ 211

LOCALIZERS TM

LOCALIZATI ON MARKERS 211

Ref: 211, (OTY: 40/box)



BEEKLEY POINTGUARDS® 215

PointGuards® 215

Ref: 215, (QTY: 75/box)

• 1.5cm x 5.0cm linear adhesive covers



BEEKLEY GUIDELINES® CT BIOPSY GRID 217

GuideLin es® CT Biopsy Grid 217

Ref: 217 (OTY: 15 /

• 7" x



BEEKLEY ACCUGRID®300 4.65"

AccuGrid® Specimen Localizing Grid System 300

Ref: 300, (QTY: 12 / box)

> • 4.65" radioluce nt grid



4.0mm low-density pellet ideal

tor identif ying areas of interes t on t on abdom inal cases or with larger patient s

CODE C-

longer, more linear treatmen planning

CODE C-BEEK215 7.5" biopsy grid 12

nonmetalli radiop aque lines

open open pane design for easy mark placem ent ideal for CT-guided biopsie s of abdom en and

en and other large areas

CODE C-BEEK217

sealable

surgical bag • for the safe imaging, transport, and processin g of surgical breast specimen

CODE C-



**BEEKLEY** ACCUGRID®302 5.65"

**AccuGrid®** Specimen Localizing Grid System 302

Ref: 302, (QTY: 10 / box)

- 5.65" radioluce nt grid inside a sealable surgical
- bag for the safe imaging, transport, and processin g of surgical breast specimen
- expande d grid size for use with larger specimen



**BEEKLEY** CRADLES®309

**Cradles**® Needle Localization Wire Protectors 309

Ref: 309, (QTY: 12 / box)

- 12" x 3" transluce nt cover with foam adhesive border
- disposabl e, clear covers for protectin g and stabilizin g the needle localizati on wire

CODE C-**BEEK309** 



**BEEKLEY BELLA** BLANKETS®310

Bella Blankets protectiv

Provide sanitary protection for patients and help immobilize hard to position breasts with Bella Blankets. Improve Blankets. Im prove Clinical Outcomes, Increase Patient Satisfaction, Save Money and Increase Revenues.

Ref: 310, (OTY: 50/box)

• 22.9c



**BEEKLEY POINTGUARDS®** 315

PointGya rds<sup>®</sup> 315

Ref: 315, (QTY: 100 / box)

- 2.5cm circular adhesive covers
- for smaller treatmen planning
- marks seethrough cover for quicker and more precise placemen

1800 330 118



CODE C-BEEK302 27.9c m • intend ed for use on 18cm x 24cm recept or plate

CODE C-BEEK310



#### **BEEKLEY POINTGUARDS®** 318

**PointGuards**®

Ref: 318, (QTY: 85/box)

- 2.5cm circular adhesive
- covers • crosshair design
- for hard to find

CODE C-BEEK318



**BEEKLEY** COLDSPOT® 500

**ColdSPOT**® 500

Individually

- 2.75" x 3.0" gel pack self-
- adhesive side tabs
- for targeted and effective cold treatmen following minimally invasive breast biopsy procédur

CODE C-BEEK500



**BEEKLEY X-**SPOT®601 **FLORALS®** 





- 1.5mm
- 1.5mm lead-free pellet
   easy Pik-UP tab
   compa tible with both digital and analog and analog equip ment

CODE C-BEEK601



**BEEKLEY S-SPOT® 607 FLORALS®** 

S-SPOT® CT Simulation Marker 607 **Florals**®

Help define architectural distortion at the biopsy site by delineating the exact location of incision.

Ref: 607, (QTY: 363cm cut to measure roll/box)

- 33mm diameter radiopaq ue line
- burnoutresistant brighter image
- for marking scars and field borders





**BEEKLEY A-SPOT® 651** FLORALS®

A-SPOT® Light Image® palpable mass marker 651 Florals®

Ref: 651 Floral s®, (QTY:120 / box)

- uniform lowdensity see-through
- triangle
  highlights
  without
- obscuring compatib le with both digital and analog equipme nt

CODE C-BEEK651



**BEEKLEY O-**SPOT® LIGHT IMAGE® 652 **FLORALS** 

O-SPOT® Light Image® 652 Florals

- 1mm unifor m low-density see-throug h ring highlig
- hts withou obscuri
- obscuri ng compa tible with both digital and analog equip ment

CODE C-BFFK652



**BEEKLEY S-**SPOT® 677 **FLORALS®** 

S-SPOT® Light Image® Soft 'n Stretchy® 677 Florals ®

Ref: 677 Florals®, (QTY: 280cm cut to measure roll / box)

- 1mm diamet er unifor m low-density
- pinch-free materi al
- čompa tible with both digital and analog equip ment

CODE C-



**BEEKLEY V-**SPOT®703 **FLORALS®** 

V-SPOT® Designed for Digital®

Ref: 703 Florals®, (QTY: 130/box)

- 2.3mm
- non-metalli c pellet e asy Pik-UP tab design ed for use with the most most sensiti ve digital equip ment

CODE C-BFFK703





#### **RFFKI FY TOMOSPOT®** 781

#### **TOMOSPOT® FOR MARKING** NIPPLES 781

Distinctly identify and permanently document ni pples, moles, scars, palpable masses, and areas of pain on concern on , mammograp hy images with BeekleySPOT ® skin markers for mammograp hy. The result is clear communicati on between patient, technologist and and radiologist regarding areas of interest and more precise interpretatio n of the mammograp

## Ref: 781, (OTY: 92/box)

- 2.3mm
- non-metalli c pellet pinch-free materi al with adhesi ve-free center
- design ed for, use wit h 3D breast tomosy nthesis equip ment

CODE C



#### **RFFKI FY NFW TOMOSPOT®** 782

#### **TOMOSPOT® FOR MARKING MOLES 782**

Provide certainty that that densities on mammograp hic Images highlighted by the O-shaped marker are moles and not areas of concern.

# Ref: 782, (OTY: 54/box)

- 1mm lowdensity see-throug
- h ring pinch-free materi
- al design ed for use with 3D breast tomosy nthesis equip ment

CODE C-BEEK782



#### **RFFKI FY NFW** TOMOSPOT® 783

#### **TOMOSPOT® FOR MARKING** SCARS 783

Distinctly identify and permanently document ni pples, moles, scars, palpable masses, and areas of pain or concern on mammograph on mammograp hy images with BeekleySPOT ® skin markers for mammograp hy. The result is clear clear communicati on between patient, technologist and, radiologist regarding areas of interest and more precise more precise interpretatio n of the mammograp

## Ref: 783, (OTY: 273cm cut measure roll/box)

- 1mm diamet er low-density see-throug h line pinch-free
- materi
- aldesign ed for use with 3D breast tomosy nthesis equip ment



#### **RFFKI FY NFW TOMOSPOT®** 784

#### **TOMOSPOT® FOR MARKING PALPABLE** MASSES 784

Distinctly identify and permanently document ni pples, moles, scars, palpable masses, and areas of pain areas of pain or concern on mammograp hy images with BeekleySPOT ® skin markers for mammograp hy. The result is clear communicati clear communicati on between patient, technologist and, radiologist regarding areas of interest and more precise interpretatio n of the mammograp hy.

# Ref: 784, (OTY: 116/box)

- lowdensity see-throug triangl
- pinch-free materi
- materi al design ed for use with 3D breast tomosy nthesis equin equip ment



CODE C-BEEK783 CODE C-BEEK784



# BEEKLEY NEW TOMOSPOT® 785

TomoSPOT® for marking non-palpable areas of concern / pain marker 785

Distinctly identify and permanently document ni poles, moles scars, palpable masses, and areas of pain or concern on mammograp hy, images with BeekleySPOT (B) skin markers for mammograp hy. The result is clear communicati on between patient, technologist and radiologist regarding areas of interest and more precise interpretation of the mammograp hy.

#### Ref: 785, (OTY: 58/box)

- lowdensity seethroug h
- square • pinchfree materi
- al design ed for use with



BEEKLEY N-SPOT® 790 FLORALS®

N-SPOT® Designed for Digital® Soft n Stretchy

#### Ref:790 Florals®, (OTY: 94/box)

- 2.3mm nonmetalli c pellet
   pinchfree
- pinchfree materi al with adhesi ve-free center
   design ed for
  - design design ed for use with the most sensiti ve digital equip ment

CODE C-BEEK790



BEEKLEY O-SPOT®791 FLORALS®

O-SPOT® for for Digital® Soft n Stretchy ® 791 Florals®

Provide certainty that densities on mammograp hic images highlighted by the Oshaped marker are moles and not areas of concern.

#### Ref: 791 (OTY: 55/box)

- 1mm unifor m ultrasheer seethroug h ring
- h ring • pinchfree materi
- al design ed for use with the most sensiti ve digital equip ment

CODE C-BEEK791



### BARIUM PASTE 20MI

Barium Sulphate, radiopaque paste that provides excellent radiographic visualization of the true hoof wall. The tube contains 20mls of paste. The paste appears as an opaque (white line) on the image, when applied in a continuous bead from the coronary band to the ground surface. Due to the very thin depth of horn at the most proximal crown of the hoof wall the actual horn margin is rarely visible on even the softest penetrating views.

CODE C-GEN1010



breast tomosy nthesis equip ment

CODE C-BEEK785



E-Z GRID FOR CT BIOPSY

E-Z Grid for CT biopsy. FAST FIND GRID.

CODE C-MAR1012