


X-RAY EQUIPMENT





least 50% while providing the highest geometric accuracy available. The monolithic panel reduces unevenness and provides a perfect density gradient with no overlap.

Longtail DR features:

| • | The |
|---|---------------------------------------|
| • | Longtail is |
| | |
| | fitted with |
| | two |
| | rechargea ble lithium |
| | |
| | ion batteries |
| | that take |
| | 2-3 hours |
| | to fully |
| | charge. |
| | One full |
| | charge |
| | yields 650 |
| | exposures |
| | and lasts |
| | 11 hours |
| | in standby |
| | mode. For |
| | wired use, |
| | the |
| | Longtail |
| | comes |
| | with a 5m |
| | magnetica |
| | lly |
| | connected |
| | cable. |
| • | The |
| | Longtail |
| | detector |
| | can also |
| | be used |
| | for |
| | localized |
| | studies by |
| | simply |
| | collimatin |
| | g to the |
| | area of |
| | clinical |
| | interest. |
| | The |
| | Longtail |
| | app will |
| | auto- shutter to |
| | generate |
| | images of |
| | images of any part of the body. |
| | the hody |
| • | DROC is a |
| | DR image |
| | acquisition |
| | workstatio |
| | n based |
| | on |
| | Windows. |
| | It provides |
| | complete |
| | control of |
| | all image |
| | capture |
| | functions for DR |
| | TOP DR |
| | applicatio |
| | n. It |
| | delivers the better |
| | |
| | image quality |
| | with lower |
| | dose |
| | dose. DROC also |
| | has fully |
| | integrated |
| | with most |
| | of imaging |
| | componen |
| | ts as X-ray |
| _ | generators |
| | , flat panel |



detectors (FPD), collimator s, DAPs, and mechanica positioning systems. Intuitive User Interface Advanced Clinical applicatio ns.

Lead time: Subject to stock availability, transit times and radiation licensing. Estimated shipping date to be provided once the purchase is confirmed

CODE E-GEN1098

